



VENEER

BESTWOOD®

THE
BESTWOOD
CATALOGUE



**Naturally
beautiful,
naturally
unique.**

ve VENEER

Allfrey + South Architects
Photography by Stephen Goodenough
Bestwood Natural Veneer American White Oak, Quarter Cut



Bestwood Natural Veneer

AMERICAN WALNUT

| Crown Cut



Contents - Veneer

	VENEER	
03	Introduction	
	DESIGNS	
05	Natural Veneer	
37	Recon Veneer	
48	THE VENEER GUIDE	
49	SUBSTRATE TYPE	
50	FINISHING & EDGING	
51	CARE & WARRANTY	



Bestwood Natural Veneer

AMERICAN WHITE OAK

| Recut



Looking for the real deal?

NEED A LITTLE HELP?

WE'VE BEEN IN THE BUSINESS
FOR MORE THAN 35 YEARS AND
LIKE NOTHING MORE THAN
TO PUT OUR EXPERIENCE,
EXPERTISE AND ADVICE TO
WORK ON YOUR NEXT PROJECT.

www.bestwood.co.nz

FOR THE STYLISH PRACTICALITY
OF BESTWOOD MELAMINE, PLEASE
TURN THIS BROCHURE OVER.

Naturally beautiful, naturally unique. When Mother Nature gave us trees, she certainly knew what she was doing.

Bring the natural richness of real wood to your interior project by combining the warmth and beauty of real timber with the flexibility and practicality of a Bestwood Veneer. It's a naturally better choice for residential, commercial, shop fitting or hospitality furniture.

With the natural variations in colour, grain and markings, each sheet of Bestwood Natural Veneer is different with its own unique characteristics - just like a human fingerprint. Our Recon Veneer range is a reconstituted wood veneer with a more consistent grain that makes matching panels easier.

Bestwood Veneer sheets are hand-selected with great care and pressed onto panels here in New Zealand from sustainably sourced timber.

Bestwood Veneers carry Environmental Choice NZ accreditation when used on MDF substrates of 9mm or above, giving you assurance that this New Zealand-made product leaves a minimal environmental footprint.

Better still we offer a wide range of stocked species, an international indent service and choice of cuts, joins and lay-up options.

Forsyth Barr
Auckland



04
/51

Bestwood Natural Veneer

AMERICAN WHITE OAK

| Quarter Cut





Natural

V E N E E R



Natural Veneer

TO VIEW THE FULL
RANGE OF BESTWOOD
VENEER, VISIT
WWW.BESTWOOD.CO.NZ

The intricate grain, rich colours, warmth, beauty and individuality of Natural Veneer, is unsurpassed by any other natural material.

There are more than 35 species to choose from in our collection of Natural Veneer.

With a huge range of customisable lay-up options available, our skilled team will assemble a series of sheets that are naturally striking and which achieve a specific visual effect or design.

All the samples presented here are representative of the various species of timber we offer. As a natural product, colour and grain variation will always occur. It is recommended that you order control samples prior to ordering where colour matching or consistency is required.



HOOP PINE
Crown Cut
Page 08



RADIATA PINE
Crown Cut
Page 08



BIRCH
Rotary Cut
Page 09



AMERICAN HARD MAPLE
Crown Cut
Page 09



NZ TAWA
Quarter Cut
Page 11



AMERICAN ASH
Crown Cut
Page 11



EUCALYPTUS OAK
Crown Cut
Page 12



EUCALYPTUS OAK
Quarter Cut
Page 12



EUCALYPTUS OAK
Recut
Page 13



EUCALYPTUS ASH
Quarter Cut
Page 13



AMERICAN WHITE OAK
Crown Cut
Page 15



AMERICAN WHITE OAK
Recut
Page 15



AMERICAN WHITE OAK
Quarter Cut
Page 17



EUROPEAN OAK
Crown Cut
Page 17



OREGON
Quarter Cut
Page 18



AMERICAN CHERRY
Crown Cut
Page 18



ANEGRE
Quarter Cut
Page 19



ANEGRE
Crown Cut
Page 19



NZ SILVER BEECH
Crown Cut
Page 21



WESTERN RED CEDAR
Crown Cut
Page 21



EUROPEAN BEECH
Crown Cut
Page 22



EUROPEAN BEECH
Quarter Cut
Page 22



TASMANIAN BLACKWOOD
Crown Cut
Page 24



PALE RIMU
Page 24



COLOURED RIMU
Page 25



HEART RIMU
Page 25



KWILA
Quarter Cut
Page 26



SYDNEY BLUE GUM
Quarter Cut
Page 26



SAPELE
Quarter Cut
Page 27



SAPELE
Crown Cut
Page 27



ZEBRANO
Quarter Cut
Page 29



SPOTTED GUM
Quarter Cut
Page 29



AMERICAN WALNUT
Crown Cut
Page 31



AMERICAN WALNUT
Recut
Page 31



BLACKBEAN
Recut
Page 32



TEAK
Crown Cut
Page 32



TEAK
Quarter Cut
Page 33



TEAK
Recut
Page 33



JARRAH
Crown Cut
Page 34



HOOP PINE - CROWN CUT



RADIATA PINE - CROWN CUT



BIRCH - ROTARY CUT



AMERICAN HARD MAPLE - CROWN CUT



Bestwood Natural Veneer
NZ TAWA
| Crown Cut on Cupboards

Wackrows Joinery
Cambridge



NZ TAWA - CROWN CUT



AMERICAN ASH - CROWN CUT



EUCALYPTUS OAK - CROWN CUT



EUCALYPTUS OAK - QUARTER CUT



EUCALYPTUS OAK - RECUT



EUCALYPTUS ASH - QUARTER CUT

Bestwood Natural Veneer

AMERICAN WHITE OAK

| Crown Cut

14
/51

Red Beach Project
Toni Roberts, Kitchen Architecture Ltd



BESTWOOD
VENEER



AMERICAN WHITE OAK - CROWN CUT



AMERICAN WHITE OAK - RECUT

Ministry of Education
Warren & Mahoney

16
/ 51

Bestwood Natural Veneer

AMERICAN WHITE OAK

| *Planked*



AMERICAN WHITE OAK - QUARTER CUT



EUROPEAN OAK - CROWN CUT



OREGON - QUARTER CUT



AMERICAN CHERRY - CROWN CUT



ANEGRE - QUARTER CUT



ANEGRE - CROWN CUT



Kitchens on Highbrook

Bestwood Natural Veneer

AMERICAN WHITE OAK

| Quarter Cut





NZ SILVER BEECH - CROWN CUT



WESTERN RED CEDAR - CROWN CUT



EUROPEAN BEECH - CROWN CUT



EUROPEAN BEECH - QUARTER CUT

Bestwood Natural Veneer

AMERICAN WALNUT

| *Crown Cut*

Formatt Bespoke Joinery
Queenstown





TASMANIAN BLACKWOOD - CROWN CUT



PALE RIMU



COLOURED RIMU



HEART RIMU



KWILA - QUARTER CUT



SYDNEY BLUE GUM - QUARTER CUT



SAPELE - QUARTER CUT



SAPELE - CROWN CUT



Bestwood Natural Veneer

ZEBRANO

| Quarter Cut

Formatt Bespoke Joinery
Queenstown



ZEBRANO - QUARTER CUT



SPOTTED GUM - QUARTER CUT

Bays Joinery
Nelson



Bestwood Natural Veneer

AMERICAN WALNUT

| Crown Cut





AMERICAN WALNUT - CROWN CUT



AMERICAN WALNUT - RECUT



BLACKBEAN - RECUT



TEAK - RECUT



TEAK - CROWN CUT



TEAK - QUARTER CUT



JARRAH - CROWN CUT

Toni Roberts, Kitchen Architecture
Auckland



Bestwood Natural Veneer

TEAK

| Quarter Cut

Harmos Horton Lusk Fitout by Impact Interiors
Design Warren & Mahoney

36
/ 51

Bestwood Recon Veneer

SABLE

| Crown Cut





Recon

V E N E E R




Recon Veneer

TO VIEW THE FULL
RANGE OF BESTWOOD
VENEER, VISIT
WWW.BESTWOOD.CO.NZ

Bestwood reconstituted wood veneer is a fabulous option when you want a more consistent wood grain, making it easier to achieve matching panels with a unique design effect.


Made from controlled-origin Poplar or Obeche logs from sustainable sources, our reconstituted veneer is also kinder to the environment.



Samples are representative of species and colour and grain variation will occur. Please order control samples prior to ordering.



PUMICE - CROWN CUT



CHAI - CROWN CUT


Yellowfox
Auckland



Bestwood Recon Veneer

SANDSTONE

| Quarter Cut





SANDSTONE - QUARTER CUT



SABLE - CROWN CUT

Davinia Sutton
Christchurch

42
/ 51

Bestwood Recon Veneer

DUSTY MULE

| Crown Cut

Me Ve

BESTWOOD
VENEER



DUSTY MULE - CROWN CUT



WHETSTONE - QUARTER CUT

Yellowfox
Auckland

44
/51



Bestwood Recon Veneer

BURNT UMBER

| Crown Cut





BURNT UMBER - QUARTER CUT



MOTHER EARTH - QUARTER CUT



Bestwood Recon Veneer

DUSTY MULE

| Crown Cut

Davinia Sutton
Christchurch





ALTO - QUARTER CUT



JAGUAR - CROWN CUT



The Veneer Guide

For more information on specifying and selecting Bestwood Veneer, refer to the Bestwood Veneer Guide. Download or order a print copy from www.bestwood.co.nz

TO VIEW THE FULL
RANGE OF BESTWOOD
VENEER, VISIT
WWW.BESTWOOD.CO.NZ





Substrate Type

Bestwood veneer leaves can be pressed onto a range of substrate options and thicknesses. It's a decision where the function and environment very much determine the choice of substrate and its thickness. Standard substrates include:

TO VIEW THE FULL
RANGE OF BESTWOOD
VENEER, VISIT
WWW.BESTWOOD.CO.NZ



MDF - This substrate is the most commonly used as it's suitable for most applications. A heavier weight than particleboard and low formaldehyde with an E0 rating. Also available in MDF MR (moisture-resistant).



MDF FR - This fire-resistant MDF panel has been developed specifically for commercial applications and meets NZ Building Code standards.



MDF FR BLACK - This black substrate looks stunning when the edge is exposed. Perforations or a pattern machined into the surface will reveal a negative detail, providing an instant shadow line.



GABOON PLYWOOD - This is a tough, durable and super E0 certified plywood. With marine bonding and a covered exterior grade, it is perfect for high moisture areas such as kitchens, bathrooms and laundries.



BIRCH PLYWOOD - This is an attractive and strong plywood, popular for its stunning multi-ply edge, making it a great choice when an exposed edge is required.



FEATHER PLYWOOD - An economical and extremely lightweight plywood that is around half the weight of MDF. Ideal where you need portability for items such as mobile units, operable walls, caravans, ceiling linings, or when cost is an issue.



Finishing & Edging

Bestwood Natural Veneer will need to be polished and coated after manufacture. Use of a non-yellowing coating system is recommended, and in high natural light situations the use of UV inhibitors within the coating system should also be considered.

Bestwood Recon Veneer may change in tone with UV exposure. We recommend the use of a non-yellowing 2-Pac polyurethane with a suitable UV inhibitor added to every coat, including the sealer.

All Bestwood veneers should be finished and polished by an experienced tradesperson using a reputable coating system. All Bestwood veneer receives a light sand before despatch, further sanding is required before finishing and coating is applied.

Bestwood Edging is available for the top selling veneer species. These are supplied either glued or unglued - in a 1.9mm thick option where a solid look and panel protection is required vs 0.6mm for aesthetics only.

LIMITATIONS

Just as any natural product can change colour due to ultra violet light, Bestwood Natural Veneer and Bestwood Recon Veneer can also be affected. A change in colour or tone is therefore considered a natural characteristic, not a defect.

We recommend Bestwood Natural Veneer and Bestwood Recon Veneer for interior use only. In applications with prolonged exposure to direct sunlight, please discuss your project with a Bestwood representative.

With the variations in colour and grain found in timber, each sheet is different thus your sample should be treated as indicative of that species. If your veneer project requires control, the team at Bestwood will match to a control sample as close as nature will allow.

Consideration should be given to sun blinds and protective UV films or glazing in high sunlight situations.

TO VIEW THE FULL
RANGE OF BESTWOOD
VENEER, VISIT
WWW.BESTWOOD.CO.NZ



Care & Warranty

Bestwood is unable to provide care recommendations for veneer due to the product requiring additional finishing that is added after its production. Please seek the advice of your joiner or coating supplier.

WARRANTY

Bestwood Veneer panels are made in New Zealand with back-up for any issues close at hand. We offer a seven year warranty on our veneer – subject to normal use conditions. To view a copy of the warranty, please download from our website at www.bestwood.co.nz.

TO VIEW THE FULL
RANGE OF BESTWOOD
VENEER, VISIT
WWW.BESTWOOD.CO.NZ